This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



52923XX_SUPER WAX PEACH PLUS

	compilation: 29/05/2020 Revised: 23/03/2023 Version: 3 (Replaced 2)
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: 52923XX_SUPER WAX PEACH PLUS
	Other means of identification:
	UFI: GPJQ-5427-F000-SQR9
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Wax polish. For professional users only.
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	ISTOBAL, S.A AVDA. CONDE DEL SERRALLO, Nº10 46250 L'ALCUDIA - VALENCIA - ESPAÑA Phone: +34 96 299 79 40 - Fax: +34 96 299 79 91 istobal@istobal.com https://www.istobal.com
	Imported in UK by: ISTOBAL UK Ltd 107 Mill Rd, Stourport-on-Severn DY13 9BL, United Kingdom T = 444 (0) 1200826067
1.4	T: +44 (0) 1299826967 Emergency telephone number: UK: Call NHS 111 or a doctor EU: +32 3 575 55 55
SECT	TION 2: HAZARDS IDENTIFICATION **
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
2.2	Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Label elements:
2.2	
	CLP Regulation (EC) No 1272/2008: Warning
	Hazard statements:
	Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.
	Precautionary statements:
	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P264: Wash thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P302+P352: IF ON SKIN: Wash with plenty of water.
	 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment
	UFI: GPJQ-5427-F000-SQR9
2.3	Other hazards:

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020

esens

Revised: 23/03/2023

Version: 3 (Replaced 2)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

ISTOBA

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of alcohols, colourants, glycol ethers and tensoactives **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS: EC:	111-76-2 203-905-0	2-butoxyethanol ¹	ATP ATP18	
Index:	603-014-00-0 01-2119475108-36- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Danger 🛛 🤞	10 - <20 %
CAS: EC:	Non-applicable Non-applicable	Fatty acids, C18 unsa quaternized ¹	atd. reaction products with triethanolamine, di-Me sulfate-	
REACH:	Non-applicable 01-2119472309-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	5 - <10 %
CAS: EC:	5131-66-8 225-878-4	3-butoxypropan-2-ol	1 Self-classified	
Index:	603-052-00-8 01-2119475527-28- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 3: H226 - Warning	1 - <2,5 %
CAS: EC:	160875-66-1	Fatty alcohol ethoxy	lated ¹ Self-classified	1
Index:	605-233-7 Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	1 - <2,5 %
	Non-applicable Non-applicable Non-applicable Non-applicable	Amine-functional pol	ysiloxanes ¹ Self-classified	
Index:		Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1 - <2,5 %
CAS:	64-19-7	Acetic acid ²	ATP CLP00	
	200-580-7 607-002-00-6 01-2119475328-30- XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Corr. 1A: H314 - Danger	0,4 - <1 %
CAS:	123-92-2 204-662-3	Isopentyl acetate 2	Self-classified	
REACH:	607-130-00-2 01-2119548408-32- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Flam. Liq. 3: H226; EUH066 - Warning	<0,4 %
CAS:	101-84-8	Diphenyl ether ²	Self-classified	
REACH:	202-981-2 Non-applicable 01-2119472545-33- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning	<0,4 %
CAS: EC:	67-56-1 200-659-6	methanol ²	ATP CLP00	
Index:	200-659-6 603-001-00-X 01-2119433307-44- XXXX	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Flam. Liq. 2: H225; STOT SE 1: H370 - Danger 🛛 🛞 🔕	<0,4 %

¹ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

² Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
3-butoxypropan-2-ol CAS: 5131-66-8 EC: 225-878-4	% (w/w) >=20: Eye Irrit. 2 - H319
Acetic acid CAS: 64-19-7 EC: 200-580-7	% (w/w) >=90: Skin Corr. 1A - H314 25<= % (w/w) <90: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319
methanol CAS: 67-56-1 EC: 200-659-6	% (w/w) >=10: STOT SE 1 - H370 3<= % (w/w) <10: STOT SE 2 - H371

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific ISTOBA legislation

52923XX SUPER WAX PEACH PLUS

Date of c	ompilation: 29/05/2020 Revised: 23/03/2023 Version: 3 (Replaced 2)
SECT	ION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)
	Identification Specific concentration limit
SECT	ION 4: FIRST AID MEASURES
4.1	Description of first aid measures:
	The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for
	direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:
	This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.
	By skin contact:
	Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection. By eye contact:
	Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product. By ingestion/aspiration:
	Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.
4.2	Most important symptoms and effects, both acute and delayed:
	Acute and delayed effects are indicated in sections 2 and 11.
4.3	Indication of any immediate medical attention and special treatment needed:
	Non-applicable
<u> </u>	

SECTION 5: FIREFIGHTING MEASURES

esens

5.1 **Extinguishing media:**

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific leaislation

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020 Revised: 23/03/2023

Version: 3 (Replaced 2)

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

it is recommended to avoid environmental spillage of both the product and its container

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

- C.- Technical recommendations on general occupational hygiene
- Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:45 °CMaximum time:18 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

ISTOBAL esens

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020

Revised: 23/03/2023

Version: 3 (Replaced 2)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure lin	mits
2-butoxyethanol	IOELV (8h)	20 ppm	98 mg/m ³
CAS: 111-76-2 EC: 203-905-0	IOELV (STEL)	50 ppm	246 mg/m ³
Acetic acid	IOELV (8h)	10 ppm	25 mg/m ³
CAS: 64-19-7 EC: 200-580-7	IOELV (STEL)	20 ppm	50 mg/m ³
Isopentyl acetate	IOELV (8h)	50 ppm	270 mg/m ³
CAS: 123-92-2 EC: 204-662-3	IOELV (STEL)	100 ppm	540 mg/m ³
Diphenyl ether	IOELV (8h)	1 ppm	7 mg/m ³
CAS: 101-84-8 EC: 202-981-2	IOELV (STEL)	2 ppm	14 mg/m ³
methanol	IOELV (8h)	200 ppm	260 mg/m ³
CAS: 67-56-1 EC: 200-659-6	IOELV (STEL)		

DNEL (Workers):

	Short	exposure	Long exposure		
Identification	Systemic	Local	Systemic	Local	
2-butoxyethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	125 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	1091 mg/m ³	246 mg/m ³	98 mg/m ³	Non-applicable
Fatty acids, C18 unsatd. reaction products with triethanolamine, di-Me sulfate-quaternized	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	312,5 mg/kg	Non-applicable
EC: Non-applicable	Inhalation	Non-applicable	Non-applicable	44 mg/m ³	Non-applicable
3-butoxypropan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5131-66-8	Dermal	Non-applicable	Non-applicable	52 mg/kg	Non-applicable
EC: 225-878-4	Inhalation	Non-applicable	Non-applicable	147 mg/m ³	Non-applicable
Acetic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-19-7	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-580-7	Inhalation	Non-applicable	25 mg/m ³	Non-applicable	25 mg/m ³
Diphenyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 101-84-8	Dermal	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
EC: 202-981-2	Inhalation	Non-applicable	14 mg/m ³	59 mg/m ³	7 mg/m ³
methanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-56-1	Dermal	20 mg/kg	Non-applicable	20 mg/kg	Non-applicable
EC: 200-659-6	Inhalation	130 mg/m ³	130 mg/m ³	130 mg/m ³	130 mg/m ³

DNEL (General population):

		Short	exposure	Long	exposure
Identification	Systemic	Local	Systemic	Local	
2-butoxyethanol	Oral	Non-applicable	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	75 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	426 mg/m ³	147 mg/m ³	59 mg/m ³	Non-applicable
Fatty acids, C18 unsatd. reaction products with triethanolamine, di-Me sulfate-quaternized	Oral	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	187,5 mg/kg	Non-applicable
EC: Non-applicable	Inhalation	Non-applicable	Non-applicable	13 mg/m ³	Non-applicable
3-butoxypropan-2-ol	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
CAS: 5131-66-8	Dermal	Non-applicable	Non-applicable	22 mg/kg	Non-applicable
EC: 225-878-4	Inhalation	Non-applicable	Non-applicable	43 mg/m ³	Non-applicable
Acetic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-19-7	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-580-7	Inhalation	Non-applicable	25 mg/m ³	Non-applicable	25 mg/m ³
methanol	Oral	4 mg/kg	Non-applicable	4 mg/kg	Non-applicable
CAS: 67-56-1	Dermal	4 mg/kg	Non-applicable	4 mg/kg	Non-applicable
EC: 200-659-6	Inhalation	26 mg/m ³	26 mg/m ³	26 mg/m ³	26 mg/m ³

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

esens

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020

ISTOBA

Revised: 23/03/2023

Version: 3 (Replaced 2)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue

Identification				
2-butoxyethanol	STP	463 mg/L	Fresh water	8,8 mg/L
CAS: 111-76-2	Soil	2,33 mg/kg	Marine water	0,88 mg/L
EC: 203-905-0	Intermittent	26,4 mg/L	Sediment (Fresh water)	34,6 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	3,46 mg/kg
Fatty acids, C18 unsatd. reaction products with triethanolamine, di-Me sulfate-quaternized	STP	2,96 mg/L	Fresh water	0,002 mg/L
CAS: Non-applicable	Soil	0,115 mg/kg	Marine water	0 mg/L
EC: Non-applicable	Intermittent	0,019 mg/L	Sediment (Fresh water)	0,58 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,058 mg/kg
3-butoxypropan-2-ol	STP	10 mg/L	Fresh water	0,525 mg/L
CAS: 5131-66-8	Soil	0,16 mg/kg	Marine water	0,052 mg/L
EC: 225-878-4	Intermittent	5,25 mg/L	Sediment (Fresh water)	2,36 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,236 mg/kg
Acetic acid	STP	85 mg/L	Fresh water	3,058 mg/L
CAS: 64-19-7	Soil	0,47 mg/kg	Marine water	0,306 mg/L
EC: 200-580-7	Intermittent	30,58 mg/L	Sediment (Fresh water)	11,36 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,136 mg/kg
Isopentyl acetate	STP	30 mg/L	Fresh water	0,011 mg/L
CAS: 123-92-2	Soil	0,06 mg/kg	Marine water	0,001 mg/L
EC: 204-662-3	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,335 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,034 mg/kg
Diphenyl ether	STP	10 mg/L	Fresh water	0 mg/L
CAS: 101-84-8	Soil	0,018 mg/kg	Marine water	0 mg/L
EC: 202-981-2	Intermittent	0,005 mg/L	Sediment (Fresh water)	0,093 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,009 mg/kg
methanol	STP	100 mg/L	Fresh water	20,8 mg/L
CAS: 67-56-1	Soil	100 mg/kg	Marine water	2,08 mg/L
EC: 200-659-6	Intermittent	1540 mg/L	Sediment (Fresh water)	77 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	7,7 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Viton®-Butyl, Breakthrough time: > 480 min, Thickness: 0.7 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



52923XX_SUPER WAX PEACH PLUS

	N 8: EXPOSURE		ROLS/PERSON/	AL PROTECTI	ON (continued)		
	Pictogram		PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection		nic glasses against sh/projections.	CAT II	EN 166:2002 EN ISO 4007:2018		daily and disinfect periodically according nanufacturer´s instructions. Use if there is risk of splashing.
E.	- Body protection						
	Pictogram		PPE	Labelling	CEN Standard		Remarks
		W	/ork clothing	CATI		perio recom	ce before any evidence of deterioration. I ds of prolonged exposure to the product i professional/industrial users CE III is imended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN I 13688:2013, EN 464:1994.
		Anti-	slip work shoes	CAT II	EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. I ds of prolonged exposure to the product : professional/industrial users CE III is imended, in accordance with the regulatio EN ISO 20345:2012 y EN 13832-1:2007
F.	- Additional emerg	jency me	asures				
	Emergency me	easure	St	andards	Emergency meas	ure	Standards
	Emergency sh	nower		5I Z358-1 11, ISO 3864-4:201	11 Eyewash station	ns	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Ir sp V	n accordance with t pillage of both the p Jolatile organic co	the comm product a	nd its container. ds:	For additional ir	nformation see subsectio		nmended to avoid environmental
Ir sp V	n accordance with t pillage of both the p 'olatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at	tive 2010	nunity legislation ind its container. d s: 1/75/EU, this proc 14,12 139,2	For additional ir	nformation see subsectio owing characteristics:		
Ir sp V	n accordance with t pillage of both the p olatile organic co /ith regard to Direc V.O.C. (Supply):	tive 2010 20 °C: number:	nunity legislation i ind its container. ds: 0/75/EU, this proc 14,12 139,2 6,12	For additional ir duct has the foll 2 % weight	nformation see subsectio owing characteristics:		
Ir sı V	n accordance with t pillage of both the p folatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon p	tive 2010 tive 2010 20 °C: number: ar weight	nunity legislation i ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5	For additional ir duct has the foll % weight 6 kg/m ³ (139,3 3 g/mol	nformation see subsectio owing characteristics:		
Ir st W	n accordance with t pillage of both the p folatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	tive 2010 tive 2010 t 20 °C: number: ar weight	Ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 HEMICAL PROP	For additional ir duct has the foll % weight 6 kg/m ³ (139,2 3 g/mol PERTIES **	nformation see subsectio owing characteristics: 26 g/L)		
Ir sp V W CTIO	n accordance with t pillage of both the p folatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL nformation on ba or complete information	tive 2010 tive 2010 tive 2010 tar weight	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139,2 3 g/mol PERTIES ** cal properties	nformation see subsectio owing characteristics: 26 g/L)		
Ir sp V W CTIO	n accordance with t pillage of both the p olatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL Information on ba or complete information sppearance:	tive 2010 20 °C: number: ar weight AND CH asic physical	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139,3 3 g/mol PERTIES ** cal properties asheet.	nformation see subsectio owing characteristics: 26 g/L)		
Irr sp V W V CTIO	n accordance with t pillage of both the p folatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL Information on ba or complete informa- ppearance: hysical state at 20 0	tive 2010 20 °C: number: ar weight AND CH asic physical	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139, 3 g/mol PERTIES ** cal properties asheet. Liquid	nformation see subsectio owing characteristics: 26 g/L) : d		
Irr sp V W V CTIO	n accordance with t pillage of both the p olatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL Information on ba or complete information sppearance:	tive 2010 20 °C: number: ar weight AND CH asic physical	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139, 3 g/mol PERTIES ** cal properties asheet. Liquia Trans	nformation see subsectio owing characteristics: 26 g/L) :: d sparent		
Irr sp V W V CTIO	n accordance with t pillage of both the p olatile organic co /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL Information on ba or complete informa- ppearance: hysical state at 20 of ppearance:	tive 2010 20 °C: number: ar weight AND CH asic physical	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139,7 3 g/mol PERTIES ** cal properties asheet. Liquid Trans	nformation see subsectio owing characteristics: 26 g/L) : d sparent Drange		
Irr sp V W V V V V V V V V V V V V V V V V V	n accordance with t pillage of both the p folatile organic co /ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL Information on ba or complete informa- ppearance: hysical state at 20 0 ppearance: olour:	tive 2010 20 °C: number: ar weight AND CH asic physical	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139, 3 g/mol PERTIES ** cal properties asheet. Liquid Trans O C Not a	nformation see subsectio owing characteristics: 26 g/L) : d sparent Drange available		
Ir sp V W CTIO	n accordance with t pillage of both the p (olatile organic co /ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL Information on ba or complete information or complete information ppearance: hysical state at 20 0 ppearance: olour: dour: bdour threshold:	tive 2010 20 °C: number: ar weight AND CH asic physical	innity legislation ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi	For additional ir duct has the foll % weight 6 kg/m ³ (139, 3 g/mol PERTIES ** cal properties asheet. Liquid Trans O C Not a	nformation see subsectio owing characteristics: 26 g/L) : d sparent Drange		
Irr sp V W V V V V V V V V V V V V	n accordance with t pillage of both the p (olatile organic cc /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula (N 9: PHYSICAL (N 9: PHYSICAL (a) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c)(c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c)(c) (c) (c)(c)(c)(c)(c)(c)(c)(c)	AND CH ation see	nunity legislation i ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi the product data	For additional ir duct has the foll % weight 6 kg/m ³ (139, 3 g/mol PERTIES ** cal properties asheet. Liquid Trans O C Not a	nformation see subsectio owing characteristics: 26 g/L) d sparent Drange available applicable *		
Irr sp V W V V V V V V V S C C C C C C C C C C C C	n accordance with t pillage of both the p olatile organic co /ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula DN 9: PHYSICAL nformation on ba or complete informa- ppearance: hysical state at 20 0 ppearance: olour: odour: dour threshold: folatility: oiling point at atmo	AND CH asic physics acception of the second acception	nunity legislation i ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi the product data	For additional ir duct has the foll % weight % kg/m ³ (139,2 3 g/mol PERTIES ** cal properties asheet. Liquid Trans O Not a Non-4	nformation see subsectio owing characteristics: 26 g/L) : d sparent Drange available applicable *		
Ir sp V W V CTIO F C A P I A P I C C O O V W B C V	n accordance with t pillage of both the p (olatile organic cc /ith regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula (N 9: PHYSICAL (N 9: PHYSICAL (a) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c)(c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c)(c) (c) (c) (c)(c)(c)(c)(c)(c)(c)(c)	AND CH asic physics of the common product a product a product a compound tive 2010 a 20 °C: AND CH asic physics of the common asic physics of the common asic physics of the common asic physics ation see of the common asic physics ation see ation see	nunity legislation i ind its container. ds: 1/75/EU, this proc 14,12 139,2 6,12 :: 119,5 IEMICAL PROP sical and chemi the product data	For additional ir duct has the foll % weight 6 kg/m ³ (139,2 3 g/mol PERTIES ** cal properties asheet. Liquid Trans C Not a Non-4 108 9 2281	nformation see subsectio owing characteristics: 26 g/L) : d sparent Drange available applicable *		

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



52923XX_SUPER WAX PEACH PLUS

	compilation: 29/05/2020 Revised: 23/03/2023	Version: 3 (Replaced 2)	
SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES ** (continued)	
	Product description:		
	Density at 20 °C:	986,3 kg/m³	
	Relative density at 20 °C:	0,986	
	Dynamic viscosity at 20 °C:	Non-applicable *	
	Kinematic viscosity at 20 °C:	Non-applicable *	
	Kinematic viscosity at 40 °C:	Non-applicable *	
	Concentration:	Non-applicable *	
	pH:	3,5 - 4,5 (at 100 %)	
	Vapour density at 20 °C:	Non-applicable *	
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *	
	Solubility in water at 20 °C:	Non-applicable *	
	Solubility properties:	Non-applicable *	
	Decomposition temperature:	Non-applicable *	
	Melting point/freezing point:	Non-applicable *	
	Flammability:		
	Flash Point:	69 °C	
	Flammability (solid, gas):	Non-applicable *	
	Autoignition temperature:	225 °C	
	Lower flammability limit:	Non-applicable *	
	Upper flammability limit:	Non-applicable *	
	Particle characteristics:		
	Median equivalent diameter:	Non-applicable	
9.2	Other information:		
	Information with regard to physical hazard cla	sses:	
	Explosive properties:	Non-applicable *	
	Oxidising properties:	Non-applicable *	
	Corrosive to metals:	Non-applicable *	
	Heat of combustion:	Non-applicable *	
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *	
	Other safety characteristics:	Nee englischie ¥	
	Surface tension at 20 °C:	Non-applicable *	
	Refraction index:	Non-applicable *	

** Changes with regards to the previous version

SECT	ION 10: STABILITY AND REACTIVITY
10.1	Reactivity:
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.
10.2	Chemical stability:
	Chemically stable under the indicated conditions of storage, handling and use.
10.3	Possibility of hazardous reactions:
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.
10.4	Conditions to avoid:
	Applicable for handling and storage at room temperature:
	- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ISTOBA pepm

52923XX SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020 Revised: 23/03/2023 Version: 3 (Replaced 2)						
SECTION 10: STABILITY AND REACTIVITY (continued)						
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Precaution	Precaution	Not applicable	
10.5 Incompatible materials:						
	Acids	Water	Oxidising materials	Combustible materials	Others	
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases	
10.6	 10.6 Hazardous decomposition products: See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds 					

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - -Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: 2-butoxyethanol (3); Benzyl acetate (3); (r)-p-mentha-1,8-diene (3); Eugenol (3)

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous as a result of a single exposure. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020

Revised: 23/03/2023 Version: 3 (Replaced 2)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat
CAS: 111-76-2	LD50 dermal	3000 mg/kg	Rabbit
EC: 203-905-0	LC50 inhalation	3 mg/L (ATEi)	
3-butoxypropan-2-ol	LD50 oral	3300 mg/kg	Rat
CAS: 5131-66-8	LD50 dermal	Non-applicable	
EC: 225-878-4	LC50 inhalation	Non-applicable	
Fatty alcohol ethoxylated	LD50 oral	500 mg/kg (ATEi)	
CAS: 160875-66-1	LD50 dermal	Non-applicable	
EC: 605-233-7	LC50 inhalation	Non-applicable	
Isopentyl acetate	LD50 oral	7400 mg/kg	Rat
CAS: 123-92-2	LD50 dermal	Non-applicable	
EC: 204-662-3	LC50 inhalation	Non-applicable	
Diphenyl ether	LD50 oral	>5000 mg/kg	Rat
CAS: 101-84-8	LD50 dermal	7940 mg/kg	Rabbit
EC: 202-981-2	LC50 inhalation	Non-applicable	
nethanol	LD50 oral	100 mg/kg	
CAS: 67-56-1	LD50 dermal	300 mg/kg	
EC: 200-659-6	LC50 inhalation	3 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
2-butoxyethanol	LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 111-76-2		1815 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-905-0	EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
3-butoxypropan-2-ol	LC50	560 mg/L (96 h)	Poecilia reticulata	Fish
CAS: 5131-66-8		1436 mg/L (48 h)	Daphnia magna	Crustacean
EC: 225-878-4	EC50	Non-applicable		
Acetic acid	LC50	75 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 64-19-7	EC50	47 mg/L (24 h)	Daphnia magna	Crustacean
EC: 200-580-7	EC50	Non-applicable		

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ISTOBAL esens

52923XX_SUPER WAX PEACH PLUS

	ON 12: ECOLOGICAL INFORMATION *	* (continued)						
	Identification		Concentration		Spec	cies	Genu		
	Isopentyl acetate	LC50	>10 - 100 mg/L (96	h)			Fish		
	CAS: 123-92-2 EC: 204-662-3		>10 - 100 mg/L (48	h)			Crustace		
			>10 - 100 mg/L (72	>10 - 100 mg/L (72 h)			Algae		
	Diphenyl ether	LC50	>0.1 - 1 mg/L (96 h)	>0.1 - 1 mg/L (96 h)			Fish		
	CAS: 101-84-8	EC50	>0.1 - 1 mg/L (48 h))			Crustace		
	EC: 202-981-2	EC50	>0.1 - 1 mg/L (72 h)	>0.1 - 1 mg/L (72 h)			Algae		
	methanol	LC50	15400 mg/L (96 h)		Lepomis ma	acrochirus	Fish		
	CAS: 67-56-1	EC50	12000 mg/L (96 h)		Nitrocra s	spinipes	Crustace		
	EC: 200-659-6	EC50	530 mg/L (168 h)		Microcystis a	aeruginosa	Algae		
	Chronic toxicity:								
	Identification		Concentration		Spec	cies	Genu		
	2-butoxyethanol	NOE	2 100 mg/L		Danio	rerio	Fish		
	CAS: 111-76-2 EC: 203-905-0	NOE	2 100 mg/L		Daphnia	magna	Crustace		
	Acetic acid	NOE	57,2 mg/L		Oncorhynch	nus mykiss	Fish		
	CAS: 64-19-7 EC: 200-580-7	NOE	2 80 mg/L		Daphnia	magna	Crustace		
	methanol	NOE	2 15800 mg/L		Oryzias	latipes	Fish		
	CAS: 67-56-1 EC: 200-659-6	NOE	2 122 mg/L		Daphnia	magna	Crustace		
.2	Persistence and degradability:								
	Substance-specific information:								
	Identification	Degradability			Biodegradability				
	2-butoxyethanol	BOD5	0,71 g O2/g	Concer	itration	100 ו	mg/L		
	CAS: 111-76-2		2,2 g O2/g	Period		14 da	ays		
	EC: 203-905-0	BOD5/COD	0,32	% Biod	% Biodegradable)		
	3-butoxypropan-2-ol	BOD5	Non-applicable	Concer	itration	100 ו	mg/L		
	CAS: 5131-66-8	COD	Non-applicable	Period		28 da	ays		
	EC: 225-878-4	BOD5/COD	Non-applicable	% Biod	legradable	89 %)		
	Acetic acid	BOD5	Non-applicable	Concer	itration	100 ו	mg/L		
	CAS: 64-19-7	COD	Non-applicable	Period		14 da	ays		
	EC: 200-580-7	BOD5/COD	Non-applicable	% Biod	legradable	74 %)		
	Isopentyl acetate	BOD5	Non-applicable	Concer	itration	100 ו	mg/L		
	CAS: 123-92-2	COD	Non-applicable	Period		28 da	-		
ļ	EC: 204-662-3	BOD5/COD	Non-applicable	% Biod	legradable	44 %			
	Diphenyl ether	BOD5	Non-applicable	Concer	itration	5.6 n	-		
	CAS: 101-84-8	COD	Non-applicable	Period		20 da			
	EC: 202-981-2	BOD5/COD	Non-applicable	% Biod	legradable	76 %			
	methanol	BOD5	Non-applicable		itration	100	-		
	CAS: 67-56-1	COD	1,42 g O2/g	Period		14 da	-		
		BOD5/COD	Non-applicable	% Biod	legradable	92 %)		
	EC: 200-659-6								
	Bioaccumulative potential:								
	Bioaccumulative potential:	on			Bioaccu	umulation pote	ntial		
	Bioaccumulative potential: Substance-specific information:	on		BCF	Bioaccu	umulation pote	ntial		
	Bioaccumulative potential: Substance-specific information: Identificati	on		BCF Pow			ntial		
	Bioaccumulative potential: Substance-specific information: Identificati 2-butoxyethanol	on		Pow		3	ntial		
	Bioaccumulative potential: Substance-specific information: Identificati 2-butoxyethanol CAS: 111-76-2	on		Pow	Log	3 0.83	ntial		

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ISTOBAL esers

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020

Version: 3 (Replaced 2)

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Revised: 23/03/2023

Identification		Bioaccumulation potential		
Acetic acid			BCF	3
CAS: 64-19-7			Pow Log	-0.71
EC: 200-580-7				Low
Diphenyl ether			BCF	196
CAS: 101-84-8			Pow Log	4.21
EC: 202-981-2			Potential	High
methanol			BCF	3
CAS: 67-56-1			Pow Log	-0.77
EC: 200-659-6			Potential	Low

12.4 Mobility in soil:

Identification		Absorp	tion/desorption	Volatility		
2-butoxyethanol		Кос	8	Henry	1,621E-1 Pa·m ³ /mol	
CAS: 111-76-2		Conclusion	Very High	Dry soil	No	
EC: 203-905-0		Surface tension	2,729E-2 N/m (25 °C)	Moist soil	Yes	
Acetic acid		Кос	Non-applicable	Henry	Non-applicable	
CAS: 64-19-7		Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 200-580-7		Surface tension	2,699E-2 N/m (25 °C)	Moist soil	Non-applicable	
Isopentyl acetate		Кос	Non-applicable	Henry	Non-applicable	
CAS: 123-92-2		Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 204-662-3		Surface tension	2,388E-2 N/m (25 °C)	Moist soil	Non-applicable	
Diphenyl ether		Кос	1960	Henry	Non-applicable	
CAS: 101-84-8		Conclusion	Low	Dry soil	Non-applicable	
EC: 202-981-2		Surface tension	1,753E-2 N/m (258,4 °C)	Moist soil	Non-applicable	
methanol		Кос	Non-applicable	Henry	Non-applicable	
CAS: 67-56-1		Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 200-659-6		Surface tension	2,355E-2 N/m (25 °C)	Moist soil	Non-applicable	

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP6 Acute Toxicity, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ISTOBAL

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020

Revised: 23/03/2023

Version: 3 (Replaced 2)

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Acetic acid

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Contains Octamethylcyclotetrasiloxane. 1. | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. | 2. | For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Relevant instructions for use:

Apply with dosing pump. Use osmotized water, dosing 10 mL/min.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ISTOBAL

52923XX_SUPER WAX PEACH PLUS

Date of compilation: 29/05/2020 R	evised: 23/03/2023	Version: 3 (Replaced 2)
SECTION 16: OTHER INFORMATI	ON (continued)	
COMMISSION REGULATION (EU) Product contains PBT/vPvB subst · Removed substances Octamethylcyclotetrasiloxa Information on basic physical an · Flash Point	tances (SECTION 2, SE ane (556-67-2)	
Texts of the legislative phras	ses mentioned in se	ction 2:
H315: Causes skin irritation.		
H319: Causes serious eye irritati		tion 3.
Texts of the legislative phras The phrases indicated do not ref individual components which app CLP Regulation (EC) No 1272	Fer to the product itself pear in section 3	r; they are present merely for informative purposes and refer to the
Acute Tox. 3: H301+H311+H331	1 - Toxic if swallowed,	in contact with skin or if inhaled.
Acute Tox. 3: H331 - Toxic if inha Acute Tox. 4: H302 - Harmful if s Aquatic Acute 1: H400 - Very tox Aquatic Chronic 3: H412 - Harmf	swallowed. xic to aquatic life.	long lasting effects.
Eye Dam. 1: H318 - Causes serio Eye Irrit. 2: H319 - Causes serio Flam. Liq. 2: H225 - Highly flam. Flam. Liq. 3: H226 - Flammable	us eye irritation. mable liquid and vapou	ur.
Skin Corr. 1A: H314 - Causes sev Skin Irrit. 2: H315 - Causes skin STOT SE 1: H370 - Causes dama	vere skin burns and ey irritation.	e damage.
Classification procedure:		
Skin Irrit. 2: Calculation method Eye Irrit. 2: Calculation method		
Advice related to training:		the factor of the the state of the factor of the factor that the state of the state
interpretation of this safety data	sheet, as well as the l	risks for staff using this product and to facilitate their comprehension and abel on the product.
Principal bibliographical sour http://echa.europa.eu http://eur-lex.europa.eu	rces:	
Abbreviations and acronyms	:	
IMDG: International maritime da IATA: International Air Transport ICAO: International Civil Aviation	Angerous goods code Association Organisation	Il carriage of dangerous goods by road
COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen BCF: Bioconcentration factor		
LD50: Lethal Dose 50 LC50: Lethal Concentration 50		
EC50: Effective concentration 50 LogPOW: Octanolwater partition	coefficient	
Koc: Partition coefficient of organ UFI: unique formula identifier IARC: International Agency for R		
<u> </u>		

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.