This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation ISTOBAL esens

# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021 Revised: 13/06/2022 Version: 3 (Replaced 2)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: 52422XX\_HYDROPURE Other means of identification: UFT: 5C8A-23T5-HG0C-9FNE 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: General cleaner. For professional users only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: ISTOBAL, S.A AVDA. CONDE DEL SERRALLO, Nº10 46250 L'ALCUDIA - VALENCIA - ESPAÑA Phone: +34 96 299 79 40 - Fax: +34 96 299 79 91 istobal@istobal.com https://www.istobal.com Emergency telephone number: UK: Call NHS 111 or a doctor 1.4

EU: +32 3 575 55 55

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the substance or mixture: 2.1

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Dam. 1: Serious eye damage, Category 1, H318 Met. Corr. 1: Corrosive to metals, Category 1, H290 Skin Corr. 1: Skin corrosion, Category 1, H314

#### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Dange



### Hazard statements:

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

### Substances that contribute to the classification

sodium hypochlorite, solution Cl active (5% < Cl < 20%); sodium hydroxide

UFI: 5C8A-23T5-HG0C-9FNE

#### 2.3 **Other hazards:**

Product fails to meet PBT/vPvB criteria

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

### 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

esens

Revised: 13/06/2022 Version: 3 (Replaced 2)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

### 3.2 Mixture:

Chemical description: Aqueous mixture composed of chemical products for cleaning products

### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	7681-52-9	sodium hypochlorite	, solution Cl active (5% < Cl < 20%) □ <sup>1</sup> □ Self-classified	
	231-668-3 017-011-00-1 01-2119488154-34- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Met. Corr. 1: H290; 🔗 🏠 Skin Corr. 1B: H314; EUH031 - Danger	10 - <20 %
CAS:	1310-73-2	sodium hydroxide 1	□ Self-classified	
Index:	215-185-5 011-002-00-6 01-2119457892-27- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger	1 - <2,5 %

□1□ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

Revised: 13/06/2022



## 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

Version: 3 (Replaced 2)

### SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

See section 8.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used. KEEP ONLY IN ORIGINAL PACKAGING.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



## 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

Version: 3 (Replaced 2)

### SECTION 7: HANDLING AND STORAGE (continued)

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

# 7.2 Conditions for safe storage, including any incompatibilities:

Revised: 13/06/2022

A.- Technical measures for storage

Minimum Temp.:0 °CMaximum Temp.:45 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
sodium hypochlorite, solution Cl active (5% < Cl < 20%)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7681-52-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-668-3	Inhalation	3,1 mg/m <sup>3</sup>	3,1 mg/m <sup>3</sup>	1,55 mg/m <sup>3</sup>	1,55 mg/m <sup>3</sup>
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>

#### **DNEL (General population):**

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
sodium hypochlorite, solution Cl active (5% < Cl < 20%)	Oral	Non-applicable	Non-applicable	0,26 mg/kg	Non-applicable
CAS: 7681-52-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-668-3	Inhalation	3,1 mg/m <sup>3</sup>	3,1 mg/m <sup>3</sup>	1,55 mg/m <sup>3</sup>	1,55 mg/m <sup>3</sup>
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>

#### PNEC:

Identification				
sodium hypochlorite, solution Cl active (5% < Cl < 20%)	STP	4,69 mg/L	Fresh water	0,00021 mg/L
CAS: 7681-52-9	Soil	Non-applicable	Marine water	0,000042 mg/L
EC: 231-668-3	Intermittent	0,00026 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	0,0111 g/kg	Sediment (Marine water)	Non-applicable

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection



# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

Version: 3 (Replaced 2)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Revised: 13/06/2022

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN 420:2004+A1:2010	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

### E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0 % weight	
V.O.C. density at 20 °C:	0 kg/m <sup>3</sup> (0 g/L)	
Average carbon number:	Non-applicable	
Average molecular weight:	Non-applicable	

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: 9.1 For complete information see the product datasheet. **Appearance:** Physical state at 20 °C: Liquid Appearance: Translucent \*Not relevant due to the nature of the product, not providing information property of its hazards.

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation ISTOBAL

# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

esens

Revised: 13/06/2022 Version: 3 (Replaced 2)

SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Colour:	Yellowish
	Odour:	Chlorine
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	100 °C
	Vapour pressure at 20 °C:	2350 Pa
	Vapour pressure at 50 °C:	12381,01 Pa (12,38 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1250 kg/m³
	Relative density at 20 °C:	1,25
	Dynamic viscosity at 20 °C:	1,77 cP
	Kinematic viscosity at 20 °C:	1,55 mm²/s
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	12,5
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	H290 May be corrosive to metals.
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

- CONTINUED ON NEXT PAGE -

Revised: 13/06/2022

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

Version: 3 (Replaced 2)

### SECTION 10: STABILITY AND REACTIVITY (continued)

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

Revised: 13/06/2022

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

	Sunlight Humidity	
Not applicable Not applicable Not applicable Not	t applicable Not applicable	

### **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Not applicable

### **10.6** Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO\Box$ ), carbon monoxide and other organic compounds

### SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.


- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
    - IARC: sodium hypochlorite, solution Cl active (5% < Cl < 20%) (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



Date of compilation: 16/03/2021

Version: 3 (Replaced 2)

### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Revised: 13/06/2022

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
- hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
sodium hypochlorite, solution Cl active (5% < Cl < 20%)	LD50 oral	8910 mg/kg	Rat
CAS: 7681-52-9	LD50 dermal	Non-applicable	
EC: 231-668-3	LC50 inhalation	Non-applicable	

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

### Acute toxicity:

Identification	Concentration		Species	Genus
sodium hypochlorite, solution Cl active (5% < Cl < 20%)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 7681-52-9	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 231-668-3	EC50	>0.1 - 1 (72 h)		Algae
sodium hydroxide	LC50	189 mg/L (48 h)	Leuciscus idus	Fish
CAS: 1310-73-2	EC50	33 mg/L	Crangon crangon	Crustacean
EC: 215-185-5	EC50	Non-applicable		

### 12.2 Persistence and degradability:

Not available

### **12.3 Bioaccumulative potential:**

Not available

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



## 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

Version: 3 (Replaced 2)

### SECTION 12: ECOLOGICAL INFORMATION (continued)

Revised: 13/06/2022

12.4 Mobility in soil:

Not available

**12.5 Results of PBT and vPvB assessment:** Product fails to meet PBT/vPvB criteria

# **12.6 Other adverse effects:**

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1 Waste treatment methods:**

	Code	Description	Waste class (Regulation (EU) No 1357/2014)	
20 01 29* detergents containing hazardous substances Dang		Dangerous		

### Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive, HP14 Ecotoxic

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

	14.1	UN number:	UN1760		
<u> </u>	14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (sodium hypochlorite, solution Cl active $(5\% < Cl < 20\%)$ )		
	14.3	Transport hazard class(es):	8		
		Labels:	8		
	14.4	Packing group:	II		
	14.5	Environmental hazards:	Yes		
	14.6	Special precautions for user			
		Special regulations:	274		
		Tunnel restriction code:	E		
		Physico-Chemical properties:	see section 9		
		Limited quantities:	1 L		
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable		
Transport of dangerous goods by sea:					
With regard to IMDG 39-18:					

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

ISTOBAL Series

# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021	Revised: 13/06/2022	Version: 3 (Replaced 2)
SECTION 14: TRANSPORT	INFORMATION (continued)	
	UN number: UN proper shipping name:	UN1760 CORROSIVE LIQUID, N.O.S. (sodium hypochlorite, solution Cl active (5% < Cl < 20%))
14.3	Transport hazard class(es): Labels:	8 8
	Packing group:	II
	Marine pollutant:	Yes
14.6	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	274 F-A, S-B see section 9 1 L SGG18
	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dangero		
With regard to IATA/ICA	AO 2022:	
	UN number: UN proper shipping name:	UN1760 CORROSIVE LIQUID, N.O.S. (sodium hypochlorite, solution Cl active $(5\% < Cl < 20\%)$ )
14.3	Transport hazard class(es): Labels:	8 8
	Packing group:	II
	Environmental hazards:	Yes
14.6	<b>Special precautions for user</b> Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: sodium hypochlorite, solution Cl active (5% < Cl < 20%) (Product-type 1, 2, 3, 4, 5, 11, 12)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

### Labelling for contents:

Component	Concentration interval
Chlorine-based bleaching agents	15 <= % (w/w) < 30

### Cleanright (www.cleanright.eu) © A.I.S.E.:



Keep away from children.

Keep away from eyes. If product gets into eyes rinse thoroughly with water.

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021

esens

Version: 3 (Replaced 2)

### SECTION 15: REGULATORY INFORMATION (continued)

### Cleanright (www.cleanright.eu) © A.I.S.E.:



Rinse hands after use.

People with sensitive or damaged skin should avoid prolonged contact with the product.

Revised: 13/06/2022

### Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS	100	200

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:** Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation ISTOBAL esens

# 52422XX\_HYDROPURE

Date of compilation: 16/03/2021	Revised: 13/06/2022	Version: 3 (Replaced 2)				
SECTION 16: OTHER INFORM	ATION (continued)					
Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.						
Classification procedure						
Eye Dam. 1: Calculation me Aquatic Acute 1: Calculation	Skin Corr. 1: Calculation method Eye Dam. 1: Calculation method Aquatic Acute 1: Calculation method Aquatic Chronic 3: Calculation method					
Advice related to training	-					
	order to prevent industrial data sheet, as well as the la	risks for staff using this product and to facilitate their comprehension and abel on the product.				
Principal bibliographical	sources:					
http://echa.europa.eu						
Abbreviations and acror	http://eur-lex.europa.eu					
ADR: European agreement IMDG: International maritin IATA: International Air Tran ICAO: International Civil Av COD: Chemical Oxygen Der BOD5: 5day biochemical ox BCF: Bioconcentration facto LD50: Lethal Dose 50 LC50: Lethal Concentration EC50: Effective concentration EC50: Effective concentration LOgPOW: Octanolwater par Koc: Partition coefficient of UFI: unique formula identif IARC: International Agency	ne dangerous goods code sport Association riation Organisation mand tygen demand or 50 50 50 tition coefficient organic carbon ier	l carriage of dangerous goods by road				

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -