

## 52923XX\_SUPER WAX PEACH PLUS

Date of compilation: 2020-05-29

Revised: 2023-03-23

Version: 3 (Replaced 2)

### SECTION 1: IDENTIFICATION

**1.1 GHS Product identifier:** 52923XX\_SUPER WAX PEACH PLUS

**Other means of identification:**

**1.2 Recommended use of the chemical and restrictions on use:**

Relevant uses: Wax polish. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Supplier's details:**

ISTOBAL, S.A  
AVDA. CONDE DEL SERRALLO, Nº10  
46250 L'ALCUDIA - VALENCIA - ESPAÑA  
Phone: +34 96 299 79 40 - Fax: +34 96 299 79 91  
istobal@istobal.com  
<https://www.istobal.com>

Imported in South Africa by: GARAGE EQUIPMENT SERVICE Pty Ltd  
46 DAWE STREET – TROYEVILLE  
JOHANNESBURG  
T: 27114026277

**1.4 Emergency phone number:** +32 3 575 55 55

### SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the substance or mixture:**

**SANS 10234:**

Classification of this product has been carried out in accordance with SANS 10234:2008 Edition 1.1.

Eye Irrit. 2: Eye irritation, Category 2, H319

Flam. Liq. 4: Flammable liquids, Category 4, H227

Skin Irrit. 2: Skin irritation, Category 2, H315

**2.2 GHS label elements, including precautionary statements:**

**SANS 10234:**

**Warning**



**Hazard statements:**

Eye Irrit. 2: H319 - Causes severe eye irritation.

Flam. Liq. 4: H227 - Combustible liquid.

Skin Irrit. 2: H315 - Causes skin irritation.

**Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: use ABC powder extinguisher for extinction.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality.

**2.3 Other hazards which do not result in classification:**

Non-applicable

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substances:**

- CONTINUED ON NEXT PAGE -

## 52923XX\_SUPER WAX PEACH PLUS

Date of compilation: 2020-05-29

Revised: 2023-03-23

Version: 3 (Replaced 2)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)








Non-applicable

#### 3.2 Mixtures:

**Chemical description:** Aqueous mixture composed of alcohols, colourants, glycol ethers, perfume and tensoactives

#### Components:

In accordance with SANS 11014:2010, the product contains:

| Identification      | Chemical name/Classification   | Concentration  |
|---------------------|--|--|
| CAS: 111-76-2       | <b>2-butoxyethanol</b><br>Acute Tox. 3: H331; Acute Tox. 4: H302; Acute Tox. 5: H313; Eye Irrit. 2: H319; Flam. Liq. 4: H227; Skin Irrit. 2: H315 - Danger |  10 - <20 %   |
| CAS: Non-applicable | <b>Fatty acids, C18 unsatd. reaction products with triethanolamine, di-Me sulfate-quaternized</b><br>Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning     |  5 - <10 %  |
| CAS: 5131-66-8      | <b>3-butoxypropan-2-ol</b><br>Acute Tox. 5: H303; Eye Irrit. 2: H319; Flam. Liq. 3: H226 - Warning   |   1 - <2,5 % |
| CAS: 160875-66-1    | <b>Fatty alcohol ethoxylated</b><br>Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger  |   1 - <2,5 % |
| CAS: Non-applicable | <b>Amine-functional polysiloxanes</b><br>Eye Irrit. 2: H319 - Warning  |  1 - <2,5 %   |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of necessary first-aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

##### By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

##### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

##### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

##### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media:

##### Suitable extinguishing media:

Combustible liquid. If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO<sub>2</sub>).

##### Unsuitable extinguishing media:

- CONTINUED ON NEXT PAGE -

### SECTION 5: FIRE-FIGHTING MEASURES (continued)

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

**5.2 Specific hazards arising from the chemical:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Special protective actions for fire-fighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

**6.3 Methods and materials for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 45 °C

- CONTINUED ON NEXT PAGE -

**52923XX\_SUPER WAX PEACH PLUS**

Date of compilation: 2020-05-29

Revised: 2023-03-23

Version: 3 (Replaced 2)

**SECTION 7: HANDLING AND STORAGE (continued)**

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

Annexure A of the Hazardous Chemical Substances Regulations, 1995 (Updated 2008):

| Identification | Occupational exposure limits     |            |        |
|----------------|----------------------------------|------------|--------|
|                | 2-butoxyethanol<br>CAS: 111-76-2 | TWA OEL-CL | 25 ppm |
|                | SHORT TERM OEL-CL                |            |        |

**Biological exposure indices (BEIs) for hazardous chemical agents:**

Regulations for hazardous chemical agents 2021

| Identification                   | BEIs®  | Determinant                        | Sample time  |
|----------------------------------|--------|------------------------------------|--------------|
| 2-butoxyethanol<br>CAS: 111-76-2 | 0 mg/L | Butoxyacetic acid (BAA)<br>(urine) | End of shift |

**8.2 Appropriate engineering controls:**

A.- Individual protection measures, such as personal protective equipment (PPE)


As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection


The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram  | PPE  | Remarks  |
|--|--|--|
| <br>Mandatory hand protection | Chemical protective gloves (Material: Viton®-Butyl, Breakthrough time: > 480 min, Thickness: 0,7 mm) | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram  | PPE   | Remarks   |
|--|---|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Bodily protection



| Pictogram | PPE           | Remarks                                       |
|-----------|---------------|---|
|           | Work clothing | Replace before any evidence of deterioration. |

- CONTINUED ON NEXT PAGE -

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram | PPE                  | Remarks                                       |
|-----------|----------------------|---|
|           | Anti-slip work shoes | Replace before any evidence of deterioration. |

F.- Additional emergency measures

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C: Liquid  
Appearance: Transparent  
Color:  Orange  
Odor: Not available  
Odour threshold: Non-applicable \*

**Volatility:**

Boiling point at atmospheric pressure: 108 °C  
Vapour pressure at 20 °C: 2281 Pa  
Vapour pressure at 50 °C: 12023,96 Pa (12,02 kPa)  
Evaporation rate at 20 °C: Non-applicable \*

**Product description:**

Density at 20 °C: 986,3 kg/m<sup>3</sup>  
Relative density at 20 °C: 0,986  
Dynamic viscosity at 20 °C: Non-applicable \*  
Kinematic viscosity at 20 °C: Non-applicable \*  
Kinematic viscosity at 40 °C: Non-applicable \*  
Concentration: Non-applicable \*  
pH: 3,5 - 4,5 (at 100 %)  
Vapour density at 20 °C: Non-applicable \*  
Partition coefficient n-octanol/water 20 °C: Non-applicable \*  
Solubility in water at 20 °C: Non-applicable \*  
Solubility properties: Non-applicable \*  
Decomposition temperature: Non-applicable \*  
Melting point/freezing point: Non-applicable \*

**Flammability:**

Flash Point: 69 °C

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|                            |                  |
|----------------------------|------------------|
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature:  | 225 °C           |
| Lower flammability limit:  | Non-applicable * |
| Upper flammability limit:  | Non-applicable * |

### Particle characteristics:

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Non-applicable |
|-----------------------------|----------------|

## 9.2 Other information:

### Information with regard to physical hazard classes:

|  |                  |
|--|------------------|
| Explosive properties:  | Non-applicable * |
| Oxidising properties:  | Non-applicable * |
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

### Other safety characteristics:

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight            | Humidity       |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Not applicable     | Not applicable   | Risk of combustion      | Avoid direct impact | Not applicable |

### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. With possibility of effects that are hazardous to the health, it is recommended not to breathe the vapours for long periods of time.

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- CONTINUED ON NEXT PAGE -

**52923XX\_SUPER WAX PEACH PLUS**

Date of compilation: 2020-05-29

Revised: 2023-03-23

Version: 3 (Replaced 2)

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

**A- Ingestion (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

**B- Inhalation (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: 2-butoxyethanol (3); Benzyl acetate (3); (r)-p-mentha-1,8-diene (3); Eugenol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification                                | Acute toxicity   |                | Genus  |
|---|------------------|----------------|--------|
|   | LD50 oral        | LD50 dermal    |        |
| 2-butoxyethanol<br>CAS: 111-76-2              | 1200 mg/kg       | 3000 mg/kg     | Rat    |
|   |                  | 3 mg/L (ATEi)  | Rabbit |
|   |                  |                |        |
| 3-butoxypropan-2-ol<br>CAS: 5131-66-8         | 3300 mg/kg       | Non-applicable | Rat    |
|   |                  | Non-applicable |        |
|   |                  | Non-applicable |        |
| Fatty alcohol ethoxylated<br>CAS: 160875-66-1 | 500 mg/kg (ATEi) | Non-applicable |        |
|   |                  | Non-applicable |        |
|   |                  | Non-applicable |        |

- CONTINUED ON NEXT PAGE -

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

#### Acute toxicity:

| Identification                        | Concentration |                  | Species                         | Genus      |
|---------------------------------------|---------------|------------------|---------------------------------|------------|
| 2-butoxyethanol<br>CAS: 111-76-2      | LC50          | 1490 mg/L (96 h) | Lepomis macrochirus             | Fish       |
|                                       | EC50          | 1815 mg/L (48 h) | Daphnia magna                   | Crustacean |
|                                       | EC50          | 911 mg/L (72 h)  | Pseudokirchneriella subcapitata | Algae      |
| 3-butoxypropan-2-ol<br>CAS: 5131-66-8 | LC50          | 560 mg/L (96 h)  | Poecilia reticulata             | Fish       |
|                                       | EC50          | 1436 mg/L (48 h) | Daphnia magna                   | Crustacean |
|                                       | EC50          | Non-applicable   |                                 |            |

#### Chronic toxicity:

| Identification                   | Concentration |          | Species       | Genus      |
|----------------------------------|---------------|----------|---------------|------------|
| 2-butoxyethanol<br>CAS: 111-76-2 | NOEC          | 100 mg/L | Danio rerio   | Fish       |
|                                  | NOEC          | 100 mg/L | Daphnia magna | Crustacean |

### 12.2 Persistence and degradability:

#### Substance-specific information:

| Identification                        | Degradability |                | Biodegradability |         |
|---------------------------------------|---------------|----------------|------------------|---------|
|                                       |               |                | Concentration    |         |
| 2-butoxyethanol<br>CAS: 111-76-2      | BOD5          | 0,71 g O2/g    | 100 mg/L         | 14 days |
|                                       | COD           | 2,2 g O2/g     |                  |         |
|                                       | BOD5/COD      | 0,32           | % Biodegradable  | 96 %    |
| 3-butoxypropan-2-ol<br>CAS: 5131-66-8 | BOD5          | Non-applicable | 100 mg/L         |         |
|                                       | COD           | Non-applicable |                  | 28 days |
|                                       | BOD5/COD      | Non-applicable | % Biodegradable  | 89 %    |

### 12.3 Bioaccumulative potential:

#### Substance-specific information:

| Identification                        | Bioaccumulation potential |      |
|---------------------------------------|---------------------------|------|
|                                       |                           |      |
| 2-butoxyethanol<br>CAS: 111-76-2      | BCF                       | 3    |
|                                       | Pow Log                   | 0,83 |
|                                       | Potential                 | Low  |
| 3-butoxypropan-2-ol<br>CAS: 5131-66-8 | BCF                       | 1    |
|                                       | Pow Log                   |      |
|                                       | Potential                 | Low  |

### 12.4 Mobility in soil:

| Identification                   | Absorption/desorption |                      | Volatility |                                 |
|----------------------------------|-----------------------|----------------------|------------|---------------------------------|
|                                  |                       |                      |            |                                 |
| 2-butoxyethanol<br>CAS: 111-76-2 | Koc                   | 8                    | Henry      | 1,621E-1 Pa·m <sup>3</sup> /mol |
|                                  | Conclusion            | Very High            | Dry soil   | No                              |
|                                  | Surface tension       | 2,729E-2 N/m (25 °C) | Moist soil | Yes                             |

### 12.5 Results of PBT and vPvB assessment:

Non-applicable

### 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Disposal methods:

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

#### Regulations related to waste management:

- CONTINUED ON NEXT PAGE -



## 52923XX\_SUPER WAX PEACH PLUS

Date of compilation: 2020-05-29

Revised: 2023-03-23

Version: 3 (Replaced 2)

### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Legislation related to waste management:

National Environmental Management: Waste act, 2008

National Environmental Management: Waste amendment act, 2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations specific for the product in question:

##### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

##### Relevant instructions for use:

Apply with dosing pump. Use osmotized water, dosing 10 mL/min.

##### Other legislation:

Hazardous Substances Act 15 of 1973 and Amendments.

Occupational Health and Safety Act 85 of 1993 and Amendments.

National Environmental Management Act 107 of 1998 and Amendments.

National Environmental Management: Waste Act, 2008 and Amendments.

National Environment Management: Air Quality Act 39 of 2004 and Amendments.

National Water Act 36, 1998 and Amendments.

Basic Conditions of Employment Act 75 of 1997 and Amendments.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with SANS 11014:2010 - Safety data sheet for chemical products — Content and order of sections

#### Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H227: Combustible liquid.

H319: Causes severe eye irritation.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### SANS 10234:

Acute Tox. 3: H331 - Toxic if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 5: H303 - May be harmful if swallowed.

Acute Tox. 5: H313 - May be harmful in contact with skin.

Eye Dam. 1: H318 - Causes severe eye damage.

Eye Irrit. 2: H319 - Causes severe eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Flam. Liq. 4: H227 - Combustible liquid.

Skin Irrit. 2: H315 - Causes skin irritation.

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

<https://www.sabs.co.za/>

<https://www.gov.za/documents>

#### Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE -

## 52923XX\_SUPER WAX PEACH PLUS

Date of compilation: 2020-05-29

Revised: 2023-03-23

Version: 3 (Replaced 2)

### SECTION 16: OTHER INFORMATION (continued)

IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5-day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
CL50: Lethal Concentration 50  
EC50: Effective concentration 50  
Log-POW: Octanol-water partition coefficient  
Koc: Partition coefficient of organic carbon  
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET