

# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of	compilation: 22/09/2020	Version: 1
SEC	TION 1: IDENTIFICATION	OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	53100XX_PRE-WASH ALKALINE EXTREME
	Other means of identificat	tion:
	UFI:	YV1R-R47G-N00M-U4VQ
1.2	Relevant identified uses o	of the substance or mixture and uses advised against:
	Relevant uses: Product for cle	eaning tunnel washers. For professional users only.
	Uses advised against: All uses	s not specified in this section or in section 7.3
1.3	Details of the supplier of t	the safety data sheet:
	ISTOBAL, S.A AVDA. CONDE DEL SERRALLO 46250 L'ALCUDIA - VALENCI. Phone: +34 96 299 79 40 - I istobal@istobal.com https://www.istobal.com	A - ESPAÑA
	Imported in UK by: ISTOBAL 107 Mill Rd, Stourport-on-Severn DY13 9E United Kingdom T: +44 (0) 1299826967	3L,
1.4	Emergency telephone nur	<b>nber:</b> UK: Call NHS 111 or a doctor EU: +32 3 575 55 55
SEC	TION 2: HAZARDS IDENTI	FICATION
2.1	Classification of the subst	ance or mixture:
	CLP Regulation (EC) No 1	272/2008:
	Classification of this product	has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Eye Dam. 1: Serious eye dan Met. Corr. 1: Corrosive to me Skin Corr. 1: Skin corrosion, (	etals, Category 1, H290
2.2	Label elements:	
	CLP Regulation (EC) No 1	272/2008:
	Danger	
	Par	



### Hazard statements:

Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

## **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501: Dispose of contents/container according to the separated collection system used in your municipality. Substances that contribute to the classification Alcohol ethoxylated (C9-C11); Fatty alcohol ethoxylated; Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts; D-Glucopyranose, oligomers, decyl octyl glycosides

UFI: YV1R-R47G-N00M-U4VQ

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation **ISTOBA** esens

# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020 Version: 1

## SECTION 2: HAZARDS IDENTIFICATION (continued)

#### 2.3 **Other hazards:**

Product fails to meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Aqueous solution based on complexing agents, glycol-ethers and surfactants.

#### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	15763-76-5	Sodium p-cumenesu	Iphonate 🛛 ¹ 🗆	Self-classified	
	239-854-6 Non-applicable 01-2119489411-37- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	()	5 - <10 %
CAS: EC:	68439-46-3 614-482-0	Alcohol ethoxylated	(C9-C11)□¹□	Self-classified	
Index:	Non-applicable 01-2119980051-45- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger		2,5 - <5 %
	160875-66-1	Fatty alcohol ethoxy	lated 🗆 1	Self-classified	
EC: Index: REACH:	605-233-7 Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger		2,5 - <5 %
CAS:	68891-38-3	Alcohols, C12-14(eve	en numbered), ethoxylated < 2.5 EO, sulfates, sodium salts $\Box^1\Box$	Self-classified	
EC: 500-234-8 Index: Non-applicable REACH: 01-2119488639-16- XXXX		Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger		2,5 - <5 %
CAS:	68515-73-1	D-Glucopyranose, oli	igomers, decyl octyl glycosides□¹□	Self-classified	
EC: Index: REACH:	500-220-1 Non-applicable 01-2119488530-36- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger		1 - <2,5 %
	1310-73-2 215-185-5	sodium hydroxide 1	LO	ATP CLP00	
	215-185-5 011-002-00-6 01-2119457892-27- XXXX	Regulation 1272/2008	Skin Corr. 1A: H314 - Danger		1 - <2,5 %
	1310-73-2	sodium hydroxide□¹	La	Self-classified	
	215-185-5 011-002-00-6 01-2119457892-27- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger		<1 %

□<sup>1</sup>□ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# SECTION 4: FIRST AID MEASURES

#### Description of first aid measures: 4.1

Request medical assistance immediately, showing the SDS of this product.

## By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:



# 53100XX PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020 Version: 1

### SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

## 6.3 Methods and material for containment and cleaning up:

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020 Version: 1

### SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

#### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

	-
Minimum Temp.:	0 °C
Maximum Temp.:	45 °C

Maximum Temp.: 45 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short e	xposure	Long e	kposure
Identification		Systemic	Local	Systemic	Local
Sodium p-cumenesulphonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 15763-76-5	Dermal	Non-applicable	Non-applicable	136,25 mg/kg	Non-applicable
EC: 239-854-6	Inhalation	Non-applicable	Non-applicable	26,9 mg/m <sup>3</sup>	Non-applicable
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	175 mg/m <sup>3</sup>	Non-applicable
D-Glucopyranose, oligomers, decyl octyl glycosides	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68515-73-1	Dermal	Non-applicable	Non-applicable	595000 mg/kg	Non-applicable
EC: 500-220-1	Inhalation	Non-applicable	Non-applicable	420 mg/m <sup>3</sup>	Non-applicable

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

# 53100XX\_PRE-WASH ALKALINE EXTREME

## Date of compilation: 22/09/2020 Version: 1

esens

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>

#### DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Sodium p-cumenesulphonate	Oral	Non-applicable	Non-applicable	3,8 mg/kg	Non-applicable
CAS: 15763-76-5	Dermal	Non-applicable	Non-applicable	68,1 mg/kg	Non-applicable
EC: 239-854-6	Inhalation	Non-applicable	Non-applicable	6,6 mg/m³	Non-applicable
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m <sup>3</sup>	Non-applicable
D-Glucopyranose, oligomers, decyl octyl glycosides	Oral	Non-applicable	Non-applicable	35,7 mg/kg	Non-applicable
CAS: 68515-73-1	Dermal	Non-applicable	Non-applicable	357000 mg/kg	Non-applicable
EC: 500-220-1	Inhalation	Non-applicable	Non-applicable	124 mg/m <sup>3</sup>	Non-applicable
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>

# PNEC:

Identification				
Sodium p-cumenesulphonate	STP	100 mg/L	Fresh water	0,23 mg/L
CAS: 15763-76-5	Soil	0,037 mg/kg	Marine water	0,023 mg/L
EC: 239-854-6	Intermittent	2,3 mg/L	Sediment (Fresh water)	0,862 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,086 mg/kg
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	STP	10000 mg/L	Fresh water	0,24 mg/L
CAS: 68891-38-3	Soil	7,5 mg/kg	Marine water	0,024 mg/L
EC: 500-234-8	Intermittent	0,071 mg/L	Sediment (Fresh water)	0,917 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,092 mg/kg
D-Glucopyranose, oligomers, decyl octyl glycosides	STP	560 mg/L	Fresh water	0,176 mg/L
CAS: 68515-73-1	Soil	0,654 mg/kg	Marine water	0,018 mg/L
EC: 500-220-1	Intermittent	0,27 mg/L	Sediment (Fresh water)	1,516 mg/kg
	Oral	0,11111 g/kg	Sediment (Marine water)	0,152 mg/kg

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

If product is used at the concentration dosing conditions specified in the relevant instructions for use (section 15), personal protective equipment described in section 8.2 for UNDILUTED products will not be required.

Safe handling recommendations for undiluted product:

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation ISTOBAL esens

# 53100XX\_PRE-WASH ALKALINE EXTREME

	C Specific protectio				uonai e	xposure limits are exceeded.
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory hand protection	Protective gloves against minor risks	CATI		prolo profess CE III A1	ce gloves in case of any sign of damage. F nged periods of exposure to the product fo sional users/industrials, we recommend us gloves in line with standards EN 420:2004 L:2010 and EN ISO 374-1:2016+A1:2018
		a mixture of several subs Ind has therefore to be che			erial car	n not be calculated in advance with
	D Ocular and facial					
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018		a daily and disinfect periodically according l nanufacturer 's instructions. Use if there is risk of splashing.
	E Body protection					
	Pictogram	PPE	Labelling	CEN Standard		Remarks
		Work clothing	CATI		perio recom	Ice before any evidence of deterioration. F ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulatio ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
		Anti-slip work shoes	CAT II	EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. Fr ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulatio EN ISO 20345:2012 y EN 13832-1:2007
	F Additional emerg	ency measures				
	Emergency me	asure St	andards	Emergency mea	sure	Standards
	Emergency sh	ISO 3864-1:202	5I Z358-1 11, ISO 3864-4:201	1 Eyewash statio	ons	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
						mmended to avoid environmental
	Volatile organic co	ompounds:				
	-	tive 2010/75/EU, this proc		owing characteristics:		
	V.O.C. (Supply):		veight			
	V.O.C. density at		m³ (0 g/L)			
	Average carbon r Average molecula		applicable applicable			
T	ION 9: PHYSICAL	AND CHEMICAL PROP	ERTIES			
		sic physical and chemi ation see the product data		:		
	Appearance:					
	Physical state at 20 o	PC:	Liquic	1		
	Appearance:		Trans	parent		
				roperty of its hazards.		



# This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020	Version: 1
---------------------------------	------------

SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Colour:	Red
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	100 °C
	Vapour pressure at 20 °C:	2350 Pa
	Vapour pressure at 50 °C:	12381,01 Pa (12,38 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1114 kg/m³
	Relative density at 20 °C:	1,114
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	12,5 - 13,5 (at 100 %)
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	H290 May be corrosive to metals.
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	prmation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020 Version: 1

#### SECTION 10: STABILITY AND REACTIVITY (continued)

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Net applicable Net applicable Net applicable Net applicable Net applicable	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable Not applicable Not applicable Not applicable Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Not applicable

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020 Version: 1

### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
    Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
  - dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

#### Non-applicable

#### Specific toxicology information on the substances:

Identification	A	Acute toxicity	
Alcohol ethoxylated (C9-C11)	LD50 oral	1400 mg/kg	Rat
CAS: 68439-46-3	LD50 dermal	Non-applicable	
EC: 614-482-0	LC50 inhalation	Non-applicable	
Fatty alcohol ethoxylated	LD50 oral	500 mg/kg (ATEi)	
CAS: 160875-66-1	LD50 dermal	Non-applicable	
EC: 605-233-7	LC50 inhalation	Non-applicable	
Sodium p-cumenesulphonate	LD50 oral	7000 mg/kg	Rat
CAS: 15763-76-5	LD50 dermal	Non-applicable	
EC: 239-854-6	LC50 inhalation	Non-applicable	

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

#### Acute toxicity:

Identification	Concentration		Species	Genus
Sodium p-cumenesulphonate	LC50	1580 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 15763-76-5	EC50	1020 mg/L (48 h)	Daphnia magna	Crustacean
EC: 239-854-6	EC50	230 mg/L (96 h)	Selenastrum capricornutum	Algae



# 53100XX\_PRE-WASH ALKALINE EXTREME

# Date of compilation: 22/09/2020 Version: 1

Identification		Concentration		Species	Genus
Alcohol ethoxylated (C9-C11)	LC50	113 mg/L (96 h)		QSAR	Fish
CAS: 68439-46-3	EC50	Non-applicable			
EC: 614-482-0	EC50	Non-applicable			
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	LC50	7,1 mg/L (96 h)		Danio rerio	Fish
CAS: 68891-38-3	EC50	7,4 mg/L (48 h)		Daphnia magna	Crustacea
EC: 500-234-8	EC50	27 mg/L (72 h)	S	cenedesmus subspicatus	Algae
D-Glucopyranose, oligomers, decyl octyl glycosides	LC50	126 mg/L (96 h)		Brachydanio rerio	Fish
CAS: 68515-73-1	EC50	151 mg/L (48 h)		Acartia tonsa	Crustacea
EC: 500-220-1	EC50	27 mg/L (72 h)	S	cenedesmus subspicatus	Algae
sodium hydroxide	LC50	189 mg/L (48 h)		Leuciscus idus	Fish
CAS: 1310-73-2	EC50	33 mg/L		Crangon crangon	Crustacea
EC: 215-185-5	EC50	Non-applicable			
sodium hydroxide	LC50	189 mg/L (48 h)		Leuciscus idus	Fish
CAS: 1310-73-2		33 mg/L		Crangon crangon	
EC: 215-185-5	EC50	Non-applicable			
Chronic toxicity:					
Identification		Concentration		Species	Genus
Sodium p-cumenesulphonate	NOEC	Non-applicable			
CAS: 15763-76-5 EC: 239-854-6	NOEC	30 mg/L		Daphnia magna	Crustacea
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	NOEC	0,2 mg/L		Oncorhynchus mykiss	Fish
CAS: 68891-38-3 EC: 500-234-8	NOEC	0,27 mg/L		Daphnia magna	Crustacea
D-Glucopyranose, oligomers, decyl octyl glycosides	NOEC	1,8 mg/L		Danio rerio	Fish
CAS: 68515-73-1 EC: 500-220-1	NOEC	2 mg/L		Daphnia magna	Crustacea
Persistence and degradability:					
Identification	C	Degradability		Biodegradability	
Sodium p-cumenesulphonate	BOD5	Non-applicable	Concentrati	on 20	mg/L
CAS: 15763-76-5	COD	Non-applicable	Period	28	days
EC: 239-854-6	BOD5/COD	Non-applicable	% Biodegra	idable 100	0 %
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	BOD5	Non-applicable	Concentrati	on 10.	.5 mg/L
CAC: (0001 00 0	COD	Non-applicable	Period	Period 28	
CAS: 68891-38-3	COD	Hell applicable		20	44/6

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation **ISTOBA** esens

# 53100XX\_PRE-WASH ALKALINE EXTREME

#### Date of compilation: 22/09/2020 Version: 1

THEODMATION

SECTI	SECTION 12: ECOLOGICAL INFORMATION (continued)					
	Identification Degradability Biodegradability				ility	
	D-Glucopyranose, oligomers, decyl octyl glycosides	BOD5	Non-applicable	Concentration	Non-applicable	
	CAS: 68515-73-1	COD	Non-applicable	Period	28 days	
	EC: 500-220-1	BOD5/COD	Non-applicable	% Biodegradable	100 %	

#### 12.3 Bioaccumulative potential:

Not available

### 12.4 Mobility in soil:

Identification	Absorption/desorption		Volati	lity
D-Glucopyranose, oligomers, decyl octyl glycosides	Кос	50	Henry	1,2E-8 Pa·m <sup>3</sup> /mol
CAS: 68515-73-1	Conclusion	Very High	Dry soil	No
EC: 500-220-1	Surface tension	Non-applicable	Moist soil	No

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Dangerous

### Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

UN1760

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to	ADR 202	1 and RI	D 2021:	
	14.1	UN nu	mber:	
<u>A</u>				

	14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)
	14.3	Transport hazard class(es):	8
$\rightarrow$		Labels:	8
1	14.4	Packing group:	II
	14.5	Environmental hazards:	No
	14.6	Special precautions for user	
		Special regulations:	274
		Tunnel restriction code:	E
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2	2020	Version: 1	
SECTION 14: TRANSF	PORT	INFORMATION (continued)	
Transport of da	ngero	us goods by sea:	
With regard to IM	1DG 39	-18:	
_	14.1	UN number:	UN1760
^	14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)
		Transport hazard class(es):	8
		Labels:	8
	14.4	Packing group:	II
8	14.5	Marine pollutant:	No
	14.6	Special precautions for user	
		Special regulations:	274
		EmS Codes:	F-A, S-B
		Physico-Chemical properties:	see section 9
		Limited quantities:	1L
		Segregation group:	SGG18
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of da	ngero	ous goods by air:	
With regard to IA	TA/ICA	AO 2021:	
Â	14.1	UN number:	UN1760
	14.2	UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)
	14.3	Transport hazard class(es):	8
8		Labels:	8
	14.4	Packing group:	II
	-	Environmental hazards:	No
	14.6	Special precautions for user	
		Physico-Chemical properties:	see section 9
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

# SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC)  $n^{0}648/2004$  on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### **Relevant instructions for use:**

En centros de lavado se recomienda una dosificación alrededor de 25 mL/min. En puentes y trenes de lavado se recomienda una dosificación alrededor de 25 mL/min. Para Vehículos Industriales se recomienda trabajar con concentraciones cercanas al 3%. **Labelling for contents:** 

Component	Concentration interval
Non-ionic surfactants	15 <= % (w/w) < 30
Anionic surfactants	% (w/w) < 5

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020 Version: 1 SECTION 15: REGULATORY INFORMATION (continued) Cleanright (www.cleanright.eu) © A.I.S.E.: Keep away from children. Keep away from eyes. If product gets into eyes rinse thoroughly with water. Rinse hands after use People with sensitive or damaged skin should avoid prolonged contact with the product. Seveso III: Non-applicable Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....): Shall not be used in: -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes, -games for one or more participants, or any article intended to be used as such, even with ornamental aspects. Specific provisions in terms of protecting people or the environment: It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

## Other legislation:

ISTOBA

esens

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

# Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H314: Causes severe skin burns and eye damage.

H290: May be corrosive to metals.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:



# 53100XX\_PRE-WASH ALKALINE EXTREME

Date of compilation: 22/09/2020	Version: 1
SECTION 16: OTHER INFORMA	TION (continued)
Eye Dam. 1: H318 - Causes se Eye Irrit. 2: H319 - Causes se Met. Corr. 1: H290 - May be c	rmful to aquatic life with long lasting effects. erious eye damage. rious eye irritation. orrosive to metals. severe skin burns and eye damage.
Classification procedure:	
Eye Dam. 1: Calculation methors Skin Corr. 1: Calculation methors	
Advice related to training:	
	ded in order to prevent industrial risks for staff using this product and to facilitate their tion of this safety data sheet, as well as the label on the product.
Principal bibliographical so	burces:
http://echa.europa.eu http://eur-lex.europa.eu	
Abbreviations and acronyn	ns:
ADR: European agreement co IMDG: International maritime IATA: International Air Transpo ICAO: International Civil Aviat COD: Chemical Oxygen Dema BOD5: 5day biochemical oxyg BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration LogPOW: Octanolwater partitio Koc: Partition coefficient of org UFI: unique formula identifier IARC: International Agency fo	ort Association ion Organisation nd en demand 50 on coefficient ganic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.